



TECHNICAL FEATURES art. 8000 – Novosol

Characteristics	Acrylic Fibre resistant to moulds and bacteria • Color fast • Breathable • Stain Repellent
Composition	100% Solution Dyed Acrylic Fibre “outdoor”
Weave	Warp 30 ends/cm
(UNI 8099/80)	Weft 14 ends/cm
Weight	300 gr/sqm
(UNI 5114/82)	
Width	120 cm
(UNI EN 1773/98)	
Breaking Load	Warp > 1400 N
(UNI EN ISO 13934-1/00)	Weft > 800 N
Color Fastness	7/8
(UNI EN ISO 105-B04/00)	
Finish	Breathable, stain and water resistant with Tecnogard finishing, a fluorurated-resin
Water-repellency	Water repellent
(UNI EN 20811/93)	
Water column	not lower than 30 cm
(UNI EN 20811/93)	
Care	Careful washing (86 F) with neutral soap and thoroughly rinsing. Do not use detergent
Uses	Covers and Awnings









New Arrival



*以上所有布色只是電腦掃描版本, 顏色可能與真實布料有差異. 所有帆布顏色均以本公司實物布辦為準. 此頁只供參考之用

* The images in these page are digital scans of the fabric samples and are not an exact colour match to the fabric. True fabric colour can only be seen with a physical fabric sample. This page is for reference only.





*以上所有布色只是電腦掃描版本, 顏色可能與真實布料有差異. 所有帆布顏色均以本公司實物布辦為準. 此頁只供參考之用

info@sunrain.com.hk
taiwai@sunrain.com.hk

* The images in these page are digital scans of the fabric samples and are not an exact colour match to the fabric. Ture fabric colour can only be seen with a physical fabric sample. This page is for reference only.


Tel: 25724008
26911444



C112



C132



C345



C360



C365



C396




C436




C439




C443



CM10




CM14



CM16



CM271



CM33



CM65



*以上所有布色只是電腦掃描版本，顏色可能與真實布料有差異。所有帆布顏色均以本公司實物布辦為準。此頁只供參考之用

* The images in these page are digital scans of the fabric samples and are not an exact colour match to the fabric. Ture fabric colour can only be seen with a physical fabric sample. This page is for reference only.